

Think Life Enjoy Light

LED Power Supply 2019/2020

SELF Electronics Germany GmbH

Add: August-Horch-Str.7,51149,Cologne
Tel: +49-2203-18501-0
Fax: +49-2203-18501-199
E-mail: saleseu@self-electronics.com

SELF Electronics Co.,Ltd.(Headquarters)

Add: No.1345 Juxian Road, Ningbo,China 315103
Tel: +86-574-2880-5641
Fax: +86-574-28805656
E-mail: sales@self-electronics.com
<http://www.self-ecg.com>

SELF Electronics Co.,Ltd.(Shenzhen Office)

Add: Room 2007,Xinglang Xuan,Xinghe Mingju,Fuming Road,
Futian District,Shenzhen
Tel: +86-755-83558850
Fax: +86-755-83558840
E-mail: szsales@self-electronics.com

SELF Electronics USA Corporation

Add: 3264 Saturn Ct,Peachtree Corners,GA 30092
Tel: +1-770-248-9023
Fax: +1-770-248-9028
E-mail: salesus@self-electronics.com

SELF Electronics Middle East DMCC

Email: salesme@self-electronics.com



POWER, YOU NEED

About us

SELF Electronics Company, established in May 1993 in Ningbo, China, is an electronics manufacturer specializing in LED power supply and control for commercial and residential use. SELF products are not only shipped to customers in its home country, but also to over 30 countries in Europe and North America. With quality products, innovative designs, and reliable service, we have confidence in our quest to be listed among the best companies in the "green" lighting industry.



SELF Electronics Germany GmbH (Cologne, Germany)



SELF Electronics Manufacture Base (Ningbo, China)




SELF ShenZhen Office(Shenzhen, China)



SELF Electronics USA Corporation (Atlanta GA, United States)



SELF Electronics Middle East DMCC





Core competence




Research and development

With a development team of electronic, mechanical, optical, thermal etc engineers, SELF is a company with independent development and design capabilities.




Production management

With a factory floor area of more than 58,000 m², SELF has the latest technology assembly lines, large-scale production capability, and advanced production equipments. ERP systems manage orders from placement to fulfillment, ensuring prompt production and delivery.




Testing facilities

SELF's testing facility resources include a talented staff of senior testing engineers as well as advanced testing equipment. SELF uses its state-of-the-art testing facilities to ensure products comply with international standards. SELF's testing laboratory is approved by UL as a CTD_P (Client Test Data Program) laboratory for both LED power supply and LED lighting fixtures.



The laboratory has been authorized to be the VDE TDAP (Test Data Acceptance Program) by VDE Testing and Certification Institute; accredited by CNAS(China National Accreditation Service for Conformity Assessment) for the competence of its testing and calibration laboratory; and accepted as ENEC stage2 CTF(customer's testing facility) by TUV Rheinland Intercert Kft.



Quality

The SELF Quality Control department strives to maintain the highest level of production by performing 100% on-line inspections.



CV Basic Series

	Model.no	Type	Input	λ	Output	Output power range	Output voltage range	L x W x H	Approval
	SLT6-350ILs	CV	AC 220-240V	0.55C	7.2W/24V	0-7.2W	—	68x35x20mm (2-11/16"x1-3/8"x13/16")	CE EMC Intertek
	SLT6-700ILs	CV	AC 220-240V	0.55C	6W/12V	0-6W	—	68x35x20mm (2-11/16"x1-3/8"x13/16")	CE EMC Intertek
	SLT6-350IL-4	CV	AC100-240V	0.40C	6W/24V	0-6W	—	68x35x20mm (2-11/16"x1-3/8"x13/16")	CE cULus Intertek
	SLT6-700IL-4	CV	AC100-240V	0.40C	6W/12V	0-6W	—	68x35x20mm (2-11/16"x1-3/8"x13/16")	CE cULus Intertek
	SLT6-350ISC-UN	CV	AC100-240V	0.90C@120V 0.80C@220-240V	6W/24V	0-6W	—	52x30x23mm (2-1/16"x1-3/16"x15/16")	CE RoHS pending CE
	SLT6-700ISC-UN	CV	AC100-240V	0.90C@120V 0.80C@220-240V	6W/12V	0-6W	—	52x30x23mm (2-1/16"x1-3/16"x15/16")	CE RoHS pending CE
	SLT15-12VF-2s	CV	AC 220-240V	0.70C	15W/12V	0-15W	—	121x45x16mm	CE EMC Intertek
	SLT15-24VF-2s	CV	AC 220-240V	0.70C	15W/24V	0-15W	—	121x45x16mm	CE EMC Intertek
	SLT20-24VLG-UN	CV	AC 120-240V	0.80C	20W/24V	0-20W	—	165x40x30mm	RoHS pending CE

CV Classic Series

	Model.no	Type	Input	λ	Output	Output power range	Output voltage range	L x W x H	Approval
	SLT30-12VLG-Es	CV	AC220-240V	0.95	30W/12V	0-30W	—	165x40x30mm	CE EMC Intertek
	SLT30-24VLG-Es	CV	AC220-240V	0.95	30W/24V	0-30W	—	165x40x30mm	CE EMC Intertek
	SLT30-48VLG-Es	CV	AC220-240V	0.95	30W/48V	0-30W	—	165x40x30mm	CE EMC Intertek
	SLT60-12VLG-E	CV	AC 220-240V	0.95	60W/12V	0-60W	—	188×45×30mm	CE EMC Intertek
	SLT60-24VLG-E	CV	AC 220-240V	0.95	60W/24V	0-60W	—	188×45×30mm	CE EMC Intertek
	SLT75-24VL-2	CV	AC 100-240V	0.95	75W/24V	0-75W	—	180×60×30mm (7-1/16"x2-3/8"x1-3/16")	CE RoHS Intertek
	SLT75-24VL-E	CV	AC 220-240V	0.95	75W/24V	0-75W	—	185x60x31mm	CE RoHS Intertek
	SLT100-12VL-E	CV	AC 220-240V	0.95	100W/12V	0-100W	—	185x60x31mm	CE RoHS Intertek
	SLT100-24VL-E	CV	AC 220-240V	0.95	100W/24V	0-100W	—	185x60x31mm	CE RoHS Intertek
	SLT150-24VL-E	CV	AC 220-240V	0.95	150W/24V	0-150W	—	223x64x32mm	CE RoHS Intertek
	SLT150-24VLG-E	CV	AC 220-240V	0.95	150W/24V	0-150W	—	185x60x31mm	CE RoHS pending
	SLT150-48VLG-E	CV	AC 220-240V	0.95	150W/48V	0-150W	—	185x60x31mm	CE RoHS pending

CV Ultrathin Series

	Model.no	Type	Input	λ	Output	Output power range	Output voltage range	L x W x H	Approval
	SLT15-12VFG	CV	AC 220-240V	0.50C	15W/12V	0-15W	—	138x40x12mm	CE EMC Intertek
	SLT15-24VFG	CV	AC 220-240V	0.50C	15W/24V	0-15W	—	138x40x12mm	CE EMC Intertek

CV Ultrathin Series

	Model.no	Type	Input	λ	Output	Output power range	Output voltage range	L x W x H	Approval
	SLT20-12VFGs	CV	AC 220-240V	0.80C	20W/12V	0-20W	—	166x40x14mm	CE EMC Intertek
	SLT20-24VFGs	CV	AC 220-240V	0.80C	20W/24V	0-20W	—	166x40x14mm	CE EMC Intertek
	SLT30-12VFG	CV	AC 220-240V	0.95	30W/12V	0-30W	—	246x30x16mm	CE EMC Intertek
	SLT30-24VFG	CV	AC 220-240V	0.95	30W/24V	0-30W	—	246x30x16mm	CE EMC Intertek
	SLT60-12VFG-UN	CV	AC 120-240V	0.95	60W/12V	0-60W	—	298×29.8×16mm (11-3/4"x1-3/16"x5/8")	CE RoHS Intertek
	SLT60-24VFG-UN	CV	AC 120-240V	0.95	60W/24V	0-60W	—	298×29.8×16mm (11-3/4"x1-3/16"x5/8")	CE RoHS Intertek
	SLT60-48VFG-UN	CV	AC 120-240V	0.95	60W/48V	0-60W	—	298×29.8×16mm (11-3/4"x1-3/16"x5/8")	CE RoHS Intertek
	SLT75-12VFG	CV	AC 220-240V	0.95	75W/12V	0-75W	—	298×29.8×16.5mm	CE RoHS Intertek
	SLT75-24VFG	CV	AC 220-240V	0.95	75W/24V	0-75W	—	298×29.8×16.5mm	CE RoHS Intertek
	SLT100-12VFG	CV	AC 220-240V	0.95	96W/12V	0-100W	—	298×29.8×16.5mm (11-3/4"x1-3/16"x5/8")	CE RoHS Intertek
	SLT100-24VFG-UN	CV	AC 120-240V	0.95	100W/24V	0-100W@240V 0-80W@120V	—	298×29.8×16mm (11-3/4"x1-3/16"x5/8")	CE RoHS Intertek
	SLT100-48VFG-UN	CV	AC 120-240V	0.95	100W/48V	0-100W@240V 0-80W@120V	—	298×29.8×16mm (11-3/4"x1-3/16"x5/8")	CE RoHS Intertek
	SLT200-24VFG-UN	CV	AC120-240V	0.95	200W/24V	0-150W@120V 0-200W@220-240V	—	358×30×22mm (14-1/16"x1-3/16"x7/8")	RoHS pending CE
	SLT200-48VFG-UN	CV	AC120-240V	0.95	200W/48V	0-150W@120V 0-200W@220-240V	—	358×30×22mm (14-1/16"x1-3/16"x7/8")	RoHS pending CE

CV Metal - Metal-slim & premium Series

	Model.no	Type	Input	λ	Output	Output power range	Output voltage range	L x W x H	Approval
	SLT30-12VFC-UN	CV	AC120-240V	0.95	30W/12V	0-30W	—	275x30x16.5mm (10-13/16"x1-3/16"x5/8")	CE RoHS pending
	SLT30-24VFC-UN	CV	AC120-240V	0.95	30W/24V	0-30W	—	275x30x16.5mm (10-13/16"x1-3/16"x5/8")	CE RoHS pending
	SLT75-12VFC-UN	CV	AC120-240V	0.95	75W/12V	0-60W@120Vac 0-75W@220-240Vac	—	333x30x16.5mm (13-1/8"x1-3/16"x5/8")	CE RoHS pending
	SLT75-24VFC-UN	CV	AC120-240V	0.95	75W/24V	0-75W	—	333x30x16.5mm (13-1/8"x1-3/16"x5/8")	CE RoHS pending
	SLT96-12VLC-UN	CV	AC100-277V	0.95	96W/12V	0-96W	—	262×40×23mm (10-5/16"x1-9/16"x15/16")	CE RoHS Intertek
	SLT96-24VLC-UN	CV	AC100-277V	0.95	96W/24V	0-96W	—	262×40×23mm (10-5/16"x1-9/16"x15/16")	CE RoHS Intertek
	SLT100-24VFC-UN	CV	AC120-240V	0.95	100W/24V	0-75W@120V 0-100W@220-240V	—	340x30x16.5mm (13-3/8"x1-3/16"x5/8")	RoHS pending

DCV: Constant Voltage Dimming

CV Smart Series

	Model.no	Type	Input	λ	Output	Output power range	Output voltage range	L x W x H	Approval
	SLD15-12VLS-E SLD15-12VLS-E1	CV	AC220-240V	0.70C	15W/12VDC	0-15W	—	167x49x16mm	CE pending
	SLD30-12VLS-E SLD30-12VLS-E1	CV	AC220-240V	0.95	30W/12VDC	0-30W	—	189x59x16mm	CE pending
	SLD60-12VLS-E SLD60-12VLS-E1	CV	AC220-240V	0.95	60W/12VDC	0-60W	—	247x71x16mm	CE pending
	SLD15-24VLS-E SLD15-24VLS-E1	CV	AC220-240V	0.70C	15W/24VDC	0-15W	—	167x49x16mm	CE pending
	SLD30-24VLS-E SLD30-24VLS-E1	CV	AC220-240V	0.95	30W/24VDC	0-30W	—	189x59x16mm	CE pending
	SLD60-24VLS-E SLD60-24VLS-E1	CV	AC220-240V	0.95	60W/24VDC	0-60W	—	247x71x16mm	CE pending

CV Classic-High-Adaptability Triac Series

	Model.no	Type	Input	λ	Output	Output power range	Output voltage range	L x W x H	Approval
	SLD30-12VL-E	CV	AC 220-240V	0.95	30W/12V	5-30W	—	145×50×22mm	CE pending
	SLD30-24VL-E	CV	AC 220-240V	0.95	30W/24V	5-30W	—	145×50×22mm	CE pending
	SLD75-12VL-E	CV	AC 220-240V	0.95	75W/12V	12-75W	—	185x60x31mm	CE pending
	SLD75-24VL-E	CV	AC 220-240V	0.95	75W/24V	12-75W	—	185x60x31mm	CE pending
	SLD120-24VL-E	CV	AC 220-240V	0.95	120W/24V	12-120W	—	223x64x32mm	CE pending

CV Metal- 3 in 1 Series

	Model.no	Type	Input	λ	Output	Output power range	Output voltage range	L x W x H	Approval
	SLD96-12VCA-UN	CV	AC100-277V	0.95	96W/12V	0-96W	—	262×40×23mm (10-5/16"x1-9/16"x15/16")	CE pending
	SLD96-24VCA-UN	CV	AC100-277V	0.95	96W/24V	0-96W	—	262×40×23mm (10-5/16"x1-9/16"x15/16")	CE pending

FCC: Constant Current Fixed Output

CC Basic Series

	Model.no	Type	Input	λ	Output	Output power range	Output voltage range	L x W x H	Approval
	SLT3-350IS-1	CC	AC 220-240V	0.50C	3W/350mA	1.0-3.2W	3-9V	50x30x20mm	CE EMC
	SLT3-700IS-1	CC	AC 220-240V	0.50C	3W/700mA	1.4-2.9W	2-4.2V	50x30x20mm	CE EMC
	SLT3-350ISC	CC	AC100-240V	0.60C@100-120V 0.45C@220-240V	3W/350mA	1.1-4.2W	3-12V	52x30x23mm (2-1/16"x1-3/16"x15/16")	CE EMC
	SLT3-700ISC	CC	AC100-240V	0.60C@100-120V 0.45C@220-240V	3W/700mA	2.1-3.2W	3-4.5V	52x30x23mm (2-1/16"x1-3/16"x15/16")	CE EMC
	SLT4-500ISC	CC	AC100-240V	0.60C@100-120V 0.45C@220-240V	4W/500mA	1.5-4.75W	3-9.5V	52x30x23mm (2-1/16"x1-3/16"x15/16")	CE EMC

Index

CC Basic Series

	Model.no	Type	Input	λ	Output	Output power range	Output voltage range	L x W x H	Approval
	SLT6-350ISC-UN	CC	AC100-240V	0.90C@120V 0.80C@220-240V	6W/350mA	1.8-6W	5-17V	52x30x23mm (2-1/16"x1-3/16"x15/16")	CE pending
	SLT6-500ISC-UN	CC	AC100-240V	0.90C@120V 0.80C@220-240V	6W/500mA	1.5-6W	3-12V	52x30x23mm (2-1/16"x1-3/16"x15/16")	CE pending
	SLT6-700ISC-UN	CC	AC100-240V	0.90C@120V 0.80C@220-240V	6W/700mA	2.1-6.3W	2.7-9V	52x30x23mm (2-1/16"x1-3/16"x15/16")	CE pending
	SLT6-350ILs	CC	AC220-240V	0.55C	6W/350mA	2.6-7.2W	7.5-21V	68x35x20mm (2-11/16"x1-3/8"x13/16")	CE EMC
	SLT6-700ILs	CC	AC220-240V	0.55C	6W/700mA	2.1-6.3W	3-9V	68x35x20mm (2-11/16"x1-3/8"x13/16")	CE EMC
	SLT6-350IL-4	CC	AC100-240V	0.40C	6W/350mA	1-7.7W	3-22V	68x35x20mm (2-11/16"x1-3/8"x13/16")	CE EMC
	SLT6-500IL-4	CC	AC100-240V	0.40C	6W/500mA	1.5-6W	3-12V	68x35x20mm (2-11/16"x1-3/8"x13/16")	CE EMC
	SLT6-700IL-4	CC	AC100-240V	0.40C	6W/700mA	2-5.9W	3-8.4V	68x35x20mm (2-11/16"x1-3/8"x13/16")	CE EMC
	SLT10-250IL-UN	CC	AC120-240V	0.85C	10W/250mA	0.5W-10W	2-40V	68x35x20mm (2-11/16"x1-3/8"x13/16")	CE pending
	SLT10-350IL-UN	CC	AC120-240V	0.85C	10W/350mA	1-10W	2-29V	68x35x20mm (2-11/16"x1-3/8"x13/16")	CE pending
	SLT10-450IL-UN	CC	AC120-240V	0.85C	10W/450mA	1-10W	3-20V	68x35x20mm (2-11/16"x1-3/8"x13/16")	CE pending
	SLT10-500IL-UN	CC	AC120-240V	0.85C	10W/500mA	1.5-10W	3-20V	68x35x20mm (2-11/16"x1-3/8"x13/16")	CE pending
	SLT10-700IL-UN	CC	AC120-240V	0.85C	10W/700mA	2.1-10W	3-14V	68x35x20mm (2-11/16"x1-3/8"x13/16")	CE pending
	SLT12-350IF-Es	CC	AC220-240V	0.70C	12W/350mA	7.4-15.1W	21-43V	121x45x16mm	CE EMC
	SLT12-500IF-Es	CC	AC220-240V	0.70C	12W/500mA	7.5-15W	15-30V	121x45x16mm	CE EMC
	SLT12-700IF-Es	CC	AC220-240V	0.70C	12W/700mA	7-15.4W	10-22V	121x45x16mm	CE EMC

CC Classic Series

	Model.no	Type	Input	λ	Output	Output power range	Output voltage range	L x W x H	Approval
	SLT25-350ILE-E	CC	AC220-240V	0.90C	25W/350mA	9.8-24.5W	28-70V	121x45x20mm	CE EMC
	SLT25-500ILE-E	CC	AC220-240V	0.90C	25W/500mA	9-25W	18-50V	121x45x20mm	CE EMC
	SLT25-700ILE-E	CC	AC220-240V	0.90C	25W/700mA	12.6-25.2W	18-36V	121x45x20mm	CE EMC
	SLT30-600ILE-E	CC	AC220-240V	0.95	30W/600mA	16.2-27W	27-45V	165x40x30mm	CE EMC
	SLT30-700ILE-E	CC	AC220-240V	0.95	30W/700mA	18.9-30.1W	27-43V	165x40x30mm	CE EMC
	SLT40-800ILE-E	CC	AC220-240V	0.95	40W/800mA	21.6-36W	27-45V	165x40x30mm	CE EMC
	SLT40-900ILE-E	CC	AC220-240V	0.95	40W/900mA	24.3-39.6W	27-44V	165x40x30mm	CE EMC
	SLT40-1050ILE-E	CC	AC220-240V	0.95	40W/1050mA	28.35-44.1W	27-42V	165x40x30mm	CE EMC

CC Linear-Dip-Switch Series

	Model.no	Type	Input	λ	Output	Output power range	Output voltage range	L x W x H	Approval
		CC	AC220-240V	0.90C	500mA	13.5-27W	27-54V	278x30x21mm	CE EMC
		CC	AC220-240V	0.90C	600mA	16.2-32.4W	27-54V	278x30x21mm	CE EMC
		CC	AC220-240V	0.90C	650mA	17.6-35.1W	27-54V	278x30x21mm	CE EMC
		CC	AC220-240V	0.90C	700mA	18.9-37.8W	27-54V	278x30x21mm	CE EMC

CC Linear-Dip-Switch Series

	Model.no	Type	Input	λ	Output	Output power range	Output voltage range	L x W x H	Approval
	SLT50-1050IL-E	CC	AC220-240V	0.95	800mA	21.6-43.2W	27-54V	278x30x21mm	CE
		CC	AC220-240V	0.95	900mA	24.3-48.6W	27-54V	278x30x21mm	CE
		CC	AC220-240V	0.95	950mA	25.7-51.5W	27-54V	278x30x21mm	CE
		CC	AC220-240V	0.95	1050mA	28.4-56.5W	27-54V	278x30x21mm	CE
	SLT80-1500IL-E	CC	AC220-240V	0.90C	1200mA	32.4-65W	27-54V	360×30×21mm	CE
		CC	AC220-240V	0.90C	1300mA	35.1-70W	27-54V	360×30×21mm	CE
		CC	AC220-240V	0.90C	1400mA	37.8-74W	27-54V	360×30×21mm	CE
		CC	AC220-240V	0.90C	1500mA	40.5-78W	27-54V	360×30×21mm	CE
	SLT80-350IL-EU	CC	AC220-240V	0.90C	200mA	23-54W	115-270V	280x30x22mm	CE
		CC	AC220-240V	0.90C	210mA	23.1-56.5W	110-270V	280x30x22mm	CE
		CC	AC220-240V	0.90C	220mA	23.1-59W	110-270V	280x30x22mm	CE
		CC	AC220-240V	0.90C	230mA	23.1-62W	110-270V	280x30x22mm	CE
		CC	AC220-240V	0.90C	240mA	23.1-64.5W	110-270V	280x30x22mm	CE
		CC	AC220-240V	0.90C	250mA	23.1-67.5W	110-270V	280x30x22mm	CE
		CC	AC220-240V	0.90C	260mA	23.1-70W	110-270V	280x30x22mm	CE
		CC	AC220-240V	0.90C	270mA	23.1-72.5W	110-270V	280x30x22mm	CE
		CC	AC220-240V	0.90C	280mA	23.1-75.5W	110-270V	280x30x22mm	CE
		CC	AC220-240V	0.90C	290mA	23.1-78W	110-270V	280x30x22mm	CE
		CC	AC220-240V	0.90C	300mA	33-80W	110-266V	280x30x22mm	CE
		CC	AC220-240V	0.90C	310mA	34.1-80W	110-258V	280x30x22mm	CE
		CC	AC220-240V	0.90C	320mA	35.2-80W	110-250V	280x30x22mm	CE
		CC	AC220-240V	0.90C	330mA	36.3-80W	110-242V	280x30x22mm	CE
		CC	AC220-240V	0.90C	340mA	37.4-80W	110-235V	280x30x22mm	CE
		CC	AC220-240V	0.90C	350mA	38.5-80W	110-228V	280x30x22mm	CE
	SLT80-700IL-EU	CC	AC220-240V	0.90C	325mA	39-80W	40-246V	280x30x22mm	CE
		CC	AC220-240V	0.90C	350mA	42-80W	40-228V	280x30x22mm	CE
		CC	AC220-240V	0.90C	375mA	45-80W	40-213V	280x30x22mm	CE
		CC	AC220-240V	0.90C	400mA	48-80W	45-200V	280x30x22mm	CE
		CC	AC220-240V	0.90C	425mA	34-80W	45-188V	280x30x22mm	CE
		CC	AC220-240V	0.90C	450mA	36-80W	50-178V	280x30x22mm	CE
		CC	AC220-240V	0.90C	475mA	38-80W	50-168V	280x30x22mm	CE
		CC	AC220-240V	0.90C	500mA	40-80W	50-160V	280x30x22mm	CE
		CC	AC220-240V	0.90C	525mA	36.8-80W	55-152V	280x30x22mm	CE
		CC	AC220-240V	0.90C	550mA	38.5-80W	55-145V	280x30x22mm	CE
		CC	AC220-240V	0.90C	575mA	40.3-80W	55-139V	280x30x22mm	CE
		CC	AC220-240V	0.90C	600mA	42-80W	60-133V	280x30x22mm	CE
		CC	AC220-240V	0.90C	625mA	37.5-80W	60-128V	280x30x22mm	CE
		CC	AC220-240V	0.90C	650mA	39-80W	60-123V	280x30x22mm	CE
		CC	AC220-240V	0.90C	675mA	40.5-80W	60-118V	280x30x22mm	CE
		CC	AC220-240V	0.90C	700mA	42-80W	60-114V	280x30x22mm	CE
	SLT160-700IL-EU	CC	AC220-240V	0.95	350mA	42-80W	120-228V	280x30x22mm	CE
		CC	AC220-240V	0.95	400mA	48-91W	120-228V	280x30x22mm	CE
		CC	AC220-240V	0.95	450mA	54-103W	120-228V	280x30x22mm	CE
		CC	AC220-240V	0.95	500mA	60-114W	120-228V	280x30x22mm	CE
		CC	AC220-240V	0.95	550mA	66-125W	120-228V	280x30x22mm	CE
		CC	AC220-240V	0.95	600mA	72-137W	120-228V	280x30x22mm	CE
		CC	AC220-240V	0.95	650mA	78-148W	120-228V	280x30x22mm	CE
		CC	AC220-240V	0.95	700mA	84-160W	120-228V	280x30x22mm	CE

CC Compact-Dip-Switch Series

	Model.no	Type	Input	λ	Output	Output power range	Output voltage range	L x W x H	Approval
	SLT20-500IB-UN SLT20-500IL-UN	CC	AC110-277V	0.70C	150mA	0.75-6W	5-40V	66.7x41x22mm 85.3x41x22mm	CE
		CC	AC110-277V	0.70C	200mA	1-8W	5-40V	66.7x41x22mm 85.3x41x22mm	CE
		CC	AC110-277V	0.70C	250mA	1.25-10W	5-40V	66.7x41x22mm 85.3x41x22mm	CE
		CC	AC110-277V	0.70C	300mA	1.5-12W	5-40V	66.7x41x22mm 85.3x41x22mm	CE
		CC	AC110-277V	0.70C	350mA	1.75-14W	5-40V	66.7x41x22mm 85.3x41x22mm	CE
		CC	AC110-277V	0.90C	400mA	2-16W	5-40V	66.7x41x22mm 85.3x41x22mm	CE
		CC	AC110-277V	0.90C	450mA	2.25-18W	5-40V	66.7x41x22mm 85.3x41x22mm	CE
		CC	AC110-277V	0.90C	500mA	2.5-20W	5-40V	66.7x41x22mm 85.3x41x22mm	CE
	SLT25-600IB-E SLT25-600IL-E	CC	AC 220-240V	0.80C	250mA	6.7-10.5W	27-42V	66.7x41x22mm 85.3x41x22mm	CE
		CC	AC 220-240V	0.80C	300mA	8.1-12.3W	27-42V	66.7x41x22mm 85.3x41x22mm	CE
		CC	AC 220-240V	0.80C	350mA	9.4-14.7W	27-42V	66.7x41x22mm 85.3x41x22mm	CE
		CC	AC 220-240V	0.80C	400mA	10.8-16.8W	27-42V	66.7x41x22mm 85.3x41x22mm	CE
		CC	AC 220-240V	0.80C	450mA	12.2-18.9W	27-42V	66.7x41x22mm 85.3x41x22mm	CE
		CC	AC 220-240V	0.80C	500mA	13.5-21W	27-42V	66.7x41x22mm 85.3x41x22mm	CE
		CC	AC 220-240V	0.90C	550mA	14.8-23.1W	27-42V	66.7x41x22mm 85.3x41x22mm	CE
		CC	AC 220-240V	0.90C	600mA	16.2-25.2W	27-42V	66.7x41x22mm 85.3x41x22mm	CE
		CC	AC110-277V	0.75C	250mA	0.5-12W	2-50V	95.6x39x30mm 135.5x39x30mm	CE
		CC	AC110-277V	0.75C	300mA	0.6-15W	2-50V	95.6x39x30mm 135.5x39x30mm	CE
	SLT35-1000IB-UN SLT35-1000IL-UN	CC	AC110-277V	0.75C	350mA	0.7-17W	2-50V	95.6x39x30mm 135.5x39x30mm	CE
		CC	AC110-277V	0.75C	400mA	0.8-20W	2-50V	95.6x39x30mm 135.5x39x30mm	CE
		CC	AC110-277V	0.85C	450mA	0.9-22W	2-50V	95.6x39x30mm 135.5x39x30mm	CE
		CC	AC110-277V	0.85C	500mA	1-25W	2-50V	95.6x39x30mm 135.5x39x30mm	CE
		CC	AC110-277V	0.90C	550mA	1.1-27W	2-50V	95.6x39x30mm 135.5x39x30mm	CE
		CC	AC110-277V	0.90C	600mA	1.2-30W	2-50V	95.6x39x30mm 135.5x39x30mm	CE
		CC	AC110-277V	0.90C	650mA	1.3-32W	2-50V	95.6x39x30mm 135.5x39x30mm	CE
		CC	AC110-277V	0.90C	700mA	1.4-35W	2-50V	95.6x39x30mm 135.5x39x30mm	CE
		CC	AC110-277V	0.90C	750mA	1.5-35W	2-47V	95.6x39x30mm 135.5x39x30mm	CE
		CC	AC110-277V	0.90C	800mA	1.6-35W	2-43V	95.6x39x30mm 135.5x39x30mm	CE
		CC	AC110-277V	0.90C	850mA	1.7-35W	2-41V	95.6x39x30mm 135.5x39x30mm	CE
		CC	AC110-277V	0.90C	900mA	1.8-35W	2-39V	95.6x39x30mm 135.5x39x30mm	CE
		CC	AC110-277V	0.90C	950mA	1.9-35W	2-37V	95.6x39x30mm 135.5x39x30mm	CE
		CC	AC110-277V	0.90C	1000mA	2-35W	2-35V	95.6x39x30mm 135.5x39x30mm	CE

CC Compact-Dip-Switch Series

	Model.no	Type	Input	λ	Output	Output power range	Output voltage range	L x W x H	Approval
		CC	AC220-240V	0.95	700mA	18.9-29.4W	27-42V	96x42x29.8mm 139x42x29.8mm	CE 
		CC	AC220-240V	0.95	750mA	20.3-31.5W	27-42V	96x42x29.8mm 139x42x29.8mm	CE 
		CC	AC220-240V	0.95	800mA	21.6-33.6W	27-42V	96x42x29.8mm 139x42x29.8mm	CE 
	SLT45-1050IB-E	CC	AC220-240V	0.95	850mA	22.9-35.7W	27-42V	96x42x29.8mm 139x42x29.8mm	CE 
	SLT45-1050IL-E	CC	AC220-240V	0.95	900mA	24.3-37.8W	27-42V	96x42x29.8mm 139x42x29.8mm	CE 
		CC	AC220-240V	0.95	950mA	25.6-39.9W	27-42V	96x42x29.8mm 139x42x29.8mm	CE 
		CC	AC220-240V	0.95	1000mA	27-42W	27-42V	96x42x29.8mm 139x42x29.8mm	CE 
		CC	AC220-240V	0.95	1050mA	28.3-42W	27-42V	96x42x29.8mm 139x42x29.8mm	CE 

DCC: Constant Current Dimming

CC Classic-Triac Series

	Model.no	Type	Input	λ	Output	Output power range	Output voltage range	L x W x H	Approval
	SLD15-300IL-Es	CC	AC220-240V	0.95	15W/300mA	7.2-14.4W	24-48V	85.3x41x22mm	CE 
	SLD15-350IL-Es	CC	AC220-240V	0.95	15W/350mA	8.4-14.7W	24-42V	85.3x41x22mm	CE 
	SLD15-500IL-Es	CC	AC220-240V	0.95	15W/500mA	8.5-15W	17-30V	85.3x41x22mm	CE 
	SLD15-700IL-Es	CC	AC220-240V	0.95	15W/700mA	6.3-15.4W	9-22V	85.3x41x22mm	CE 
	SLD15-300IB-Es	CC	AC220-240V	0.95	15W/300mA	7.2-14.4W	24-48V	66.7x41x22mm	CE 
	SLD15-350IB-Es	CC	AC220-240V	0.95	15W/350mA	8.4-14.7W	24-42V	66.7x41x22mm	CE 
	SLD15-500IB-Es	CC	AC220-240V	0.95	15W/500mA	8.5-15W	17-30V	66.7x41x22mm	CE 
	SLD15-700IB-Es	CC	AC220-240V	0.95	15W/700mA	6.3-15.4W	9-22V	66.7x41x22mm	CE 
	SLD12-150IL-Es	CC	AC220-240V	0.90C	12W/150mA	3.9-7.5W	26-50V	121×45×20mm	CE 
	SLD12-180IL-Es	CC	AC220-240V	0.90C	12W/180mA	4.68-9W	26-50V	121×45×20mm	CE 
	SLD12-240IL-Es	CC	AC220-240V	0.90C	12W/240mA	6.24-12W	26-50V	121×45×20mm	CE 
	SLD12-300IL-Es	CC	AC220-240V	0.90C	12W/300mA	9-11.4W	30-38V	121×45×20mm	CE 
	SLD12-350IL-Es	CC	AC220-240V	0.90C	12W/350mA	4.68-12W	23-36V	121×45×20mm	CE 
	SLD12-500IL-Es	CC	AC220-240V	0.90C	12W/500mA	7.5-12W	15-24V	121×45×20mm	CE 
	SLD12-700IL-Es	CC	AC220-240V	0.90C	12W/700mA	8.4-11.7W	12-17V	121×45×20mm	CE 
									pending
	SLD20-350IL-Es	CC	AC 220-240V	0.95	20W/350mA	10.5-18.9W	30-54V	121×45×20mm	CE 
	SLD20-500IL-Es	CC	AC 220-240V	0.95	20W/500mA	10-20W	20-40V	121×45×20mm	CE 
	SLD20-700IL-Es	CC	AC 220-240V	0.95	20W/700mA	10.5-20.3W	15-29V	121×45×20mm	CE 

CC Classic-Triac Series

	Model.no	Type	Input	λ	Output	Output power range	Output voltage range	L x W x H	Approval
	SLD30-500IL-Es	CC	AC220-240V	0.90C	30W/500mA	15-30W	30-60V	165x40x30mm	CE 
	SLD30-600IL-Es	CC	AC220-240V	0.90C	30W/600mA	15-30W	25-50V	165x40x30mm	CE 
	SLD30-700IL-Es	CC	AC220-240V	0.90C	30W/700mA	14.7-29.4W	21-42V	165x40x30mm	CE 
	SLD40-700IL-Es	CC	AC220-240V	0.95	40W/700mA	21-38.5W	30-55V	165x40x30mm	CE 
	SLD40-800IL-Es	CC	AC220-240V	0.95	40W/800mA	20-40W	25-50V	165x40x30mm	CE 
	SLD40-900IL-Es	CC	AC220-240V	0.90C	40W/900mA	19.8-39.6W	22-44V	165x40x30mm	CE 
	SLD40-1050IL-Es	CC	AC220-240V	0.90C	40W/1050mA	20-39.9W	19-38V	165x40x30mm	CE 
									pending

CC Linear- 3 in 1 Series

	Model.no	Type	Input	λ	Output	Output power range	Output voltage range	L x W x H	Approval
	SLD35-700ILA-E	CC	AC220-240V	0.95	350mA	2.1-16.8W	6-48V	278x30x21mm	CE
		CC	AC220-240V	0.95	500mA	3-24W	6-48V	278x30x21mm	CE
		CC	AC220-240V	0.95	550mA	3.3-26.4W	6-48V	278x30x21mm	CE
		CC	AC220-240V	0.95	700mA	4.2-33.6W	6-48V	278x30x21mm	CE
	SLD20-500ILA-UN	CC	AC110-227V	0.95	350mA	1-14W	3-40V	278x29.8x21mm	
		CC	AC110-227V	0.95	400mA	1.2-16W	3-40V	278x29.8x21mm	
		CC	AC110-227V	0.95	450mA	1.4-18W	3-40V	278x29.8x21mm	
		CC	AC110-227V	0.95	500mA	1.5-20W	3-40V	278x29.8x21mm	
	SLD40-1050ILA-UN	CC	AC110-227V	0.95	700mA	2.1-28W	3-40V	278x29.8x21mm	
		CC	AC110-227V	0.95	800mA	2.4-32W	3-40V	278x29.8x21mm	
		CC	AC110-227V	0.95	900mA	2.7-36W	3-40V	278x29.8x21mm	
		CC	AC110-227V	0.95	1050mA	3-40W	3-40V	278x29.8x21mm	

CC Linear-DALI2 Series

	Model.no	Type	Input	λ	Output	Output power range	Output voltage range	L x W x H	Approval
	SLD60-800IBD-E	CC	AC220-240V	0.95	500mA	5-37.5W	10-75V	278x30x21mm	 pending CE
		CC	AC220-240V	0.95	600mA	6-45W	10-75V	278x30x21mm	 pending CE
		CC	AC220-240V	0.95	700mA	7-52.5W	10-75V	278x30x21mm	 pending CE
		CC	AC220-240V	0.95	800mA	8-60W	10-75V	278x30x21mm	 pending CE

CC Linear-DALI2 Series

	Model.no	Type	Input	λ	Output	Output power range	Output voltage range	L x W x H	Approval
	SLD80-350ILD-EU	CC	AC220-240V	0.90C	200mA	23-54W	115-270V	280x30x22mm	 pending CE
		CC	AC220-240V	0.90C	210mA	23.1-56.5W	110-270V	280x30x22mm	 pending CE
		CC	AC220-240V	0.90C	220mA	23.1-59W	110-270V	280x30x22mm	 pending CE
		CC	AC220-240V	0.90C	230mA	23.1-62W	110-270V	280x30x22mm	 pending CE
		CC	AC220-240V	0.90C	240mA	23.1-64.5W	110-270V	280x30x22mm	 pending CE
		CC	AC220-240V	0.90C	250mA	23.1-67.5W	110-270V	280x30x22mm	 pending CE
		CC	AC220-240V	0.90C	260mA	23.1-70W	110-270V	280x30x22mm	 pending CE
		CC	AC220-240V	0.90C	270mA	23.1-72.5W	110-270V	280x30x22mm	 pending CE
		CC	AC220-240V	0.90C	280mA	23.1-75.5W	110-270V	280x30x22mm	 pending CE
		CC	AC220-240V	0.90C	290mA	23.1-78W	110-270V	280x30x22mm	 pending CE
		CC	AC220-240V	0.90C	300mA	33-80W	110-266V	280x30x22mm	 pending CE
		CC	AC220-240V	0.90C	310mA	34.1-80W	110-258V	280x30x22mm	 pending CE
		CC	AC220-240V	0.90C	320mA	35.2-80W	110-250V	280x30x22mm	 pending CE
		CC	AC220-240V	0.90C	330mA	36.3-80W	110-242V	280x30x22mm	 pending CE
		CC	AC220-240V	0.90C	340mA	37.4-80W	110-235V	280x30x22mm	 pending CE
	SLD80-700ILD-EU	CC	AC220-240V	0.90C	350mA	38.5-80W	110-228V	280x30x22mm	 pending CE
		CC	AC220-240V	0.90C	325mA	39-80W	40-246V	280x30x22mm	 pending CE
		CC	AC220-240V	0.90C	350mA	42-80W	40-228V	280x30x22mm	 pending CE
		CC	AC220-240V	0.90C	375mA	45-80W	40-213V	280x30x22mm	 pending CE
		CC	AC220-240V	0.90C	400mA	48-80W	45-200V	280x30x22mm	 pending CE
		CC	AC220-240V	0.90C	425mA	34-80W	45-188V	280x30x22mm	 pending CE
		CC	AC220-240V	0.90C	450mA	36-80W	50-178V	280x30x22mm	 pending CE
		CC	AC220-240V	0.90C	475mA	38-80W	50-168V	280x30x22mm	 pending CE
		CC	AC220-240V	0.90C	500mA	40-80W	50-160V	280x30x22mm	 pending CE
		CC	AC220-240V	0.90C	525mA	36.8-80W	55-152V	280x30x22mm	 pending CE
		CC	AC220-240V	0.90C	550mA	38.5-80W	55-145V	280x30x22mm	 pending CE
		CC	AC220-240V	0.90C	575mA	40.3-80W	55-139V	280x30x22mm	 pending CE
		CC	AC220-240V	0.90C	600mA	42-80W	60-133V	280x30x22mm	 pending CE
		CC	AC220-240V	0.90C	625mA	37.5-80W	60-128V	280x30x22mm	 pending CE
		CC	AC220-240V	0.90C	650mA	39-80W	60-123V	280x30x22mm	 pending CE
	SLD160-700ILD-EU	CC	AC220-240V	0.90C	675mA	40.5-80W	60-118V	280x30x22mm	 pending CE
		CC	AC220-240V	0.90C	700mA	42-80W	60-114V	280x30x22mm	 pending CE
		CC	AC220-240V	0.95	350mA	42-80W	120-228V	280x30x22mm	 pending CE
		CC	AC220-240V	0.95	400mA	48-91W	120-228V	280x30x22mm	 pending CE
		CC	AC220-240V	0.95	450mA	54-103W	120-228V	280x30x22mm	 pending CE
		CC	AC220-240V	0.95	500mA	60-114W	120-228V	280x30x22mm	 pending CE
		CC	AC220-240V	0.95	550mA	66-125W	120-228V	280x30x22mm	 pending CE
		CC	AC220-240V	0.95	600mA	72-137W	120-228V	280x30x22mm	 pending CE
		CC	AC220-240V	0.95	650mA	78-148W	120-228V	280x30x22mm	 pending CE
		CC	AC220-240V	0.95	700mA	84-160W	120-228V	280x30x22mm	 pending CE

CC Compact -DALI2 Series

	Model.no	Type	Input	λ	Output	Output power range	Output voltage range	L x W x H	Approval
	SLD20-500IBD-UN SLD20-500ILD-UN	CC	AC110-277V	0.84C	150mA	0.8-6W	5-40V	78.7x41x22mm 97.3x41x22mm	 pending CE
		CC	AC110-277V	0.89C	200mA	1-8W	5-40V	78.7x41x22mm 97.3x41x22mm	 pending CE
		CC	AC110-277V	0.91C	250mA	1.25-10W	5-40V	78.7x41x22mm 97.3x41x22mm	 pending CE
		CC	AC110-277V	0.93C	300mA	1.5-12W	5-40V	78.7x41x22mm 97.3x41x22mm	 pending CE
		CC	AC110-277V	0.94C	350mA	1.75-14W	5-40V	78.7x41x22mm 97.3x41x22mm	 pending CE
		CC	AC110-277V	0.95	400mA	2-16W	5-40V	78.7x41x22mm 97.3x41x22mm	 pending CE
		CC	AC110-277V	0.95	450mA	2.25-18W	5-40V	78.7x41x22mm 97.3x41x22mm	 pending CE
		CC	AC110-277V	0.95	500mA	2.5-20W	5-40V	78.7x41x22mm 97.3x41x22mm	 pending CE
		CC	AC110-277V	0.83C	250mA	0.75-8.75W	3-35V	96x42x29.8mm 139x42x29.8mm	 pending CE
		CC	AC110-277V	0.86C	300mA	0.9-10.5W	3-35V	96x42x29.8mm 139x42x29.8mm	 pending CE
	SLD35-1000IBD-UN SLD35-1000ILD-UN	CC	AC110-277V	0.88C	350mA	1.05-12.5W	3-35V	96x42x29.8mm 139x42x29.8mm	 pending CE
		CC	AC110-277V	0.90C	400mA	1.2-14W	3-35V	96x42x29.8mm 139x42x29.8mm	 pending CE
		CC	AC110-277V	0.91C	450mA	1.35-15.75W	3-35V	96x42x29.8mm 139x42x29.8mm	 pending CE
		CC	AC110-277V	0.93C	500mA	1.5-17.5W	3-35V	96x42x29.8mm 139x42x29.8mm	 pending CE
		CC	AC110-277V	0.94C	550mA	1.65-19.25W	3-35V	96x42x29.8mm 139x42x29.8mm	 pending CE
		CC	AC110-277V	0.94C	600mA	1.8-21W	3-35V	96x42x29.8mm 139x42x29.8mm	 pending CE
		CC	AC110-277V	0.95	650mA	1.95-22.75W	3-35V	96x42x29.8mm 139x42x29.8mm	 pending CE
		CC	AC110-277V	0.95	700mA	2.1-24.5	3-35V	96x42x29.8mm 139x42x29.8mm	 pending CE
		CC	AC110-277V	0.95	750mA	2.25-26.25W	3-35V	96x42x29.8mm 139x42x29.8mm	 pending CE
		CC	AC110-277V	0.95	800mA	2.4-28W	3-35V	96x42x29.8mm 139x42x29.8mm	 pending CE
		CC	AC110-277V	0.95	850mA	2.55-29.75W	3-35V	96x42x29.8mm 139x42x29.8mm	 pending CE
		CC	AC110-277V	0.95	900mA	2.7-31.5W	3-35V	96x42x29.8mm 139x42x29.8mm	 pending CE
		CC	AC110-277V	0.95	950mA	2.85-33.25W	3-35V	96x42x29.8mm 139x42x29.8mm	 pending CE
		CC	AC110-277V	0.95	1000mA	3-35W	3-35V	96x42x29.8mm 139x42x29.8mm	 pending CE

For your notes

[illegible]